

M. M. Kozhv (1890-1968); Z. I. Zabusova-Zhudanova (1901-1980); A. Ia. Bazikalova (1902-1978); N. A. Porfirjeva, Iu. V. Mamkaev; O. A. Timoshkin, etc.

REFERENCES FOR ARTICLE I

KAWAKATSU, M., OKI, I. & TAMURA, S., 1986. Redescription of *Phagocata kawakatsui* Okugawa, 1956, with special reference to local variation of its copulatory apparatus (Turbellaria, Tricladida, Paludicola). Bull. Fuji Women's College, (24), II: 95-120. See 'Note added in proof' on p. 119.

KAWAKATSU, M., NISHINO, M., TAMURA, S., TAKAI, M., OKI, I., KUZNEDELOV, K. D. & TIMOSHIN, O. A., 2000. Morphology of *Phagocata kawakatsui* Okugawa, 1956, from the bottom of Lake Biwa-ko in Honshû, Central Japan (Turbellaria, Tricladida, Paludicola). Acta Biol. Leopoldensia, 22 (1): 27-35.

SHIMAZU, T., 1999. [Parasitic Turbellarians and Distomas on Japanese Freshwater Animals]. In: Ôtsuru, M., Kamegai, O. & Hayashi, S. (eds.), [The Study of Parasitology in Japan], 6, II: Taxonomy, Morphology and parasitic fauna, Chapter 5, pp. 65-86. The Meguro Parasitic Museum, Tôkyô. (In Japanese.)

ARTICLE II

ADDITIONS AND CORRECTIONS OF THE PREVIOUS LAND PLANARIAN INDICES OF THE WORLD (PLATYHELMINTHES, SERIATA, TRICLADIDA, TERRICOLA)
ADDITIONS AND CORRECTIONS OF THE PREVIOUS LAND PLANARIAN INDICES OF THE WORLD - 13

By MASAHARU KAWAKATSU, EUDÓXIA MARIA FROEHLICH, HUGH D. JONES,
ROBERT E. OGREN † and GEN-YU SASAKI

INTRODUCTION

The present publication is a continuation of our Land Planarian Indices Series. An 'Additions and Corrections of the Previous Land Planarian Indices of the World - 13' is given.

Abbreviations for publications of the Land Planarian Indices Series: BFC = Bulletin of Fuji Women's College, (Ser. II); BFU = Bulletin of Fuji Women's University, (Ser. II) (after 2002); OC = Occasional Publications, Biological Laboratory of Fuji Women's College, Sapporo (Hokkaidô), Japan; pdf = web article (pdf) is also available.

Abbreviations for figures and photographs cited: AE, arrangement of eyes; CP, parts of the body showing the color pattern(s); DB, dorsal view of the body; DH, dorsal view of the head; DRB, diagrammatic representation of the body (schematic figure); DVB, dorsal and ventral views of the body; DVH, dorsal and ventral views of the head; FCA, schematic figure of the copulatory apparatus; FGO, schematic figure of the genital organ; FP, schematic figure of the pharynx; FTS, schematic figure of transverse section(s); HI, histological figure(s); PCA, photographs of the copulatory

apparatus; VH, ventral view of the head.

Note. 'KAWAKATSU & SASAKI's WEBPAGES ON PLANARIANS, SAPPORO AND TÔKYÔ (ISSN 1348-3412)' is a continuation from the Occ. Publ., Biol. Lab. Fuji Women's College, Sapporo (Hokkaidô), Japan: Nos. 1-34, for 1970-2000 (ISSN 0917-4362).

The pdf versions of the 'Land Planarian Indices Series' (published after 2001) are available at our website: <http://planarian.net>.

Comments on the Chapter 'Terrestrial Planarians' in the book 'Natural Enemies of the Terrestrial Molluscs' (2004)

Natural Enemies of Terrestrial Molluscs (Ed. G. M. Barker) published in 2004 (CAB International) includes Chapter 5: Terrestrial Planarians (Platyhelminthes: Tricladida: Terricola) Predaceous on Terrestrial Gastropods (pp. 227-278 + pls. photos 15 and 16).

The above cited Chapter written by Drs. Winsor, Johns and Barker is an excellent review of the general taxonomy, ecology and feeding behavior of land planarians. They mention over 60 species cited from various arti-

cles (see each item listed in the present Index).

Winsor, Johns & Barker (2004) also mention several undescribed species of land planarians, of which 3 are Japanese ones. They are as follows:

Bipalium Stimpson sp. (on p. 248, table 5.2.) and *Bipalium* sp. (on p. 251). Cited from Miyoshi (1955).

Bipalium Stimpson sp. Ogasawara, Japan. K. Takeuchi, personal communication (on p. 248, table 5.2.).

Unidentified Geoplanidae species. Ogasawara, Japan. K. Takeuchi, personal communication (on p. 249, table 5.2.).

In his short Japanese article, Miyoshi (1955: 377-378, fig. 1 A and B; cf. Kawakatsu, 1968: 97) reported about feeding behavior of three specimens of a bipaliid species observed in his residential garden at Matsuyama City, Shikoku, in south western Japan. They eat land snails (*Bradybaena similaris*). The late Dr. Miyoshi (a specialist of the Diplopoda) did not mention the size and coloration of bipaliid species he observed. Judging from a natural size sketch of *B. similaris* in his sketches, his *Bipalium* sp. seems to be 10 cm long and 8 mm wide.

“*Bipalium* Stimpson sp.” is a misleading name. This undescribed species can be named as *Diversibipalium* sp. of Matsuyama (Miyoshi 1955).

The Ogasawara Islands have a rather wide geographical scope; they consist of 4 groups of islands (cf. Kawakatsu & Sasaki, 2004). Land planarians are reported from only 2 islands, i.e., Chichi-jima Island and Haha-jima Island (cf. Kawakatsu, Okochi, Sato, Ohbayashi, Kitagawa & Totani, 1999; Okochi, Sato & Ohbayashi, 2004). Known species are: *Bipalium kewense* Moseley, 1878 (alien species); *Bipalium muninense* Kawakatsu, Sluys & Ogren, 2005 (endemic species); *Platydemus manokwari* de Beauchamp, 1962 (alien species); *Platydemus?* sp. 1; *Platydemus?* sp. 2; *Australopacifica* sp. Okochi, Sato & Ohbayashi (2004) also reported two undescribed species: Unidentified 1 and Unidentified 2.

Mr. Koji Takeuchi, who offered information on Ogasawara land planarians to Dr. Winsor, is an applied zoologist and worked at the Ogasawara Subtropical Agriculture Center in Chichi-jima Island in the early 1990s. “*Bipalium* Stimpson sp.” and “Unidentified Geoplanidae species” mentioned by Winsor, Johns & Barker (2004; according to Takeuchi’s personal communication) seem to be *Bipalium muninense* and *Australopacifica* sp., respectively. Their external appearances are shown in Kawakatsu, Okochi, Sato, Ohbayashi, Ohbayashi, Kitagawa & Totani (1999: 5, fig. 2 A-C, P and Q).

ADDITIONS AND CORRECTIONS OF THE PREVIOUS LAND PLANARIAN INDICES OF THE WORLD - 13

A. BIPALIIDAE INDEX (1987: Bull. Fuji Women’s College, No. 25, Ser. II, pp. 79-119; 1988: Occ. Publ., Biol. Lab. Fuji Women’s College, No. 19, pp. 1-16; 1992: Bull. Fuji Women’s College, No. 30, Ser. II, pp. 62-75; 1993: *Ibid.*, No. 31, Ser. II, pp. 80-81; 1994: *Ibid.*, No. 32, Ser. II, pp. 73-76; 1995: *Ibid.*, No. 33, Ser. II, pp. 78-81; 1996: *Ibid.*, No. 34, Ser. II, pp. 87-93; 1997: *Ibid.*, No. 35, Ser. II, p. 56; 1998: *Ibid.*, No. 36, Ser. II, pp. 75-76; 1999: *Ibid.*, No. 37, Ser. II, pp. 94, 97, 99-101; 2000: *Ibid.*, No. 38, Ser. II, pp. 83-85; 2001: *Ibid.*, No. 39, Ser. II, pp. 112-113; 2002: Bull. Fuji Women’s Univ., No. 40, Ser. II, pp. 165-166; 2003: *Ibid.*, No. 41, Ser. II, pp. 108-109; 2004: *Ibid.*, No. 42, Ser. II, pp. 88-89.)

BFC25. Pp. 81-82. *Bipalium adventitium* Hyman, 1943.

Add the following items.

Bipalium adventitium: Ducey & Noce, 1998: 199-205, figs 1-2 (DB, distribution map in New York State). New York / U.S.A.

Bipalium adventitium: Ducey, Messere, Lapoint & Noce, 1999: 305-312, fig. 1 (graph).

Bipalium adventitium: Fiore, Tull, Zehner & Ducey, 2004: 327-333, fig. 1 (testing apparatus).

Bipalium adventitium: Winsor, Johns & Barker, 2004: 240, 242, 248, 253, 255, 258.

BFC25. P. 87. *Bipalium fuscatum* Stimpson, 1857. Add the following item.

Bipalium fuscatum: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.

BFC25. P. 87. *Bipalium fuscatum* Stimpson, 1857 (?).

BFC37. P. 94. *Novibipalium falsifuscatum* Kawakatsu, Ogren & Froehlich, 1998 (?). Add the following item.

Bipalium fuscatum: Seo, Yoshihama, Shirasawa, Sasaki, Yamaguchi, Ohashi, Naito, Takahashi & Furuta, 2004: 1320. Tôkyô? / Japan.

BFC25. Pp. 87-88. *Bipalium fuscolineatum* Kaburaki, 1922. Add the following item.

Bipalium fuscolineatum: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.

BFC25. P. 88. *Bipalium glaucum* (Kaburaki, 1922). Add the following item.

Bipalium glaucum: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.

BFC25. Pp. 89-90. *Bipalium hilgendorfi* (von Graff, 1899). Add the following item.

Bipalium hilgendorffi: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.

BFC25. Pp. 91-93. *Bipalium kewense* Moseley, 1878. Add the following items.

Bipalium kewense: Ducey & Noce, 1998: 199, 204.

Bipalium kewense: Fiore, Tull, Zehner & Ducey, 2004: 328.

Bipalium kewense: Jones, 2004: 35, 39. S. Africa; Zimbabwe; St. Helena; Cape Verde Islands.

Bipalium kewense: Winsor, Johns & Barker, 2004: 232, 236, 238, 240-242, 252, 258.

Bipalium kewense: Jones, 2005: 191, 194, figs (DB in color). U.K. and Ireland (origin: SE Asia).

Bipalium kewense: Jones & Sterrer, 2005: 31, 37, 47, 52, table 2, 56-57, color pl. fig 4 (DB). For localities, see Table 2. Bermuda.

Bipalium kewense: Kawakatsu & Sasaki, 2005: 17, 19, fig. 4B (DVD for the pictorial key). Japan.

BFC25. P. 93. *Bipalium kisoense* Kaburaki, 1922. Add the following item.

Bipalium kisoense: Kawakatsu & Sasaki, 2005: 93, table 1. Japan.

BFC25. P. 96. *Bipalium monolineatum* Kaburaki, 1922. Add the following item.

Bipalium monolineatum: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.

BUFU44*. *Bipalium muninense* Kawakatsu, Sluys & Ogren, 2005. BFC30. P.74. *Bipalium* sp. of Chichi-jima Island. Ogren & Kawakatsu, 1988. See also BU FU 42. P.89.

Bipalium sp.: Okochi, 2004: 105-106, fig. 2 (DB in color). Chichi-jima Is. and Haha-jima Is., the Ogasawara Islands (Tôkyô) / Japan.

Bipalium Stimpson sp.: Winsor, Johns & Barker, 2004: 248. See the Section in the present Index: Comments on the Chapter 'Terrestrial Planarians', in the Book 'Natural Enemies of the Terrestrial Molluscs' (2004).

* Citation of this new species will be given in the next LP Index (for 2006).

BFC25. P. 97. *Bipalium nobile* Kawakatsu & Makino, 1982. Add the following item.

Bipalium nobile: Kawakatsu & Sasaki, 2005: 16-19, figs 1, 2 and 4A (DB in color, DVB for the pictorial key). Japan.

BFC25. P. 98. *Bipalium ochroleucum* Kaburaki, 1922.

Add the following item.

Bipalium ochroleucum: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.

BFC25. P. 98. *Bipalium pennsylvanicum* Ogren, 1987.

Add the following items.

Bipalium pennsylvanicum: Ducey & Noce, 1998: 199, 204.

Bipalium pennsylvanicum: Ducey, Messere, La-point & Noce, 1999: 305, 310.

Bipalium pennsylvanicum: Winsor, Johns & Barker, 2004: 242, 248, 251, 258.

BFC25. P. 98. *Bipalium penzigi* Müller, 1902. Add the following item.

Bipalium penzigi: Winsor, Johns & Barker, 2004: 248, 256, 259.

BFC25. P 106. Insert a new species and list after *Bipalium univittatum subboreale* Sabussowa, 1925.

Bipalium vagum Jones & Sterrer, 2005.

Bipalium vagum n. sp. Jones & Sterrer, 2005: 31, 43-47, figs 20-25 (DVH, HI, FP, FCA, PCA), 51-52, table 2, 56-57, color pl. fig. 5 (DB), 58. Spanish Point, Pembroke Parish. For other localities, see Table 2. Bermuda.

BFC25. Pp. 87-88. (Under *Bipalium*). BFU40. P. 167.

Diversibipalium fuscocephalum (Kaburaki, 1922).

Add the following item.

Diversibipalium fuscocephalum: Kawakatsu & Sasaki, 2005: 17, table 1, footnote. Species inquirenda. Nikkô, Kantô Region, Honshû / Japan.

BFC25. P. 91. (Under *Bipalium*) BFC40. P. 167. *Diversibipalium keshavi* (Saxena, 1957). Add the following item.

Diversibipalium keshavi: Jones & Sterrer, 2005: 45-46.

BFC25. P. 98. (Under *Bipalium*) BFU40. P. 167. *Diversibipalium indicum* (Whitehouse, 1919). Add the following item.

Bipalium indicum: Winsor, Johns & Barker, 2004: 248, 251, 253, 258, 262.

BFC25. P. 94. (Under *Bipalium*) BFU40. P.167. *Diversibipalium maculatum* (Stimpson, 1857). Add the following item.

Diversibipalium maculatum: Kawakatsu & Sasaki, 2005: 17, table 1, footnote. Species inquirenda. Amami-Ôshima Is., the SW Is-

lands of Japan.

BFC25. Pp. 96-97. (Under *Bipalium*) *Diversibipalium multilineatum* (Makino & Shirasawa, 1983). Add the following item.

Diversibipalium multilineatum: Kawakatsu & Sasaki, 2005: 17, 19, fig. 4C (DVB for the pictorial key). Japan.

BFC25. P. 101. (Under *Bipalium*) BFU40, P.7. *Diversibipalium ruteofulvum* (Kaburaki, 1922). Add the following item.

Diversibipalium ruteofulvum: Kawakatsu & Sasaki, 2005: 17, table 1, footnote. Species inquirenda. Taipei / Taiwan.

BFC25. Pp. 104-105. (Under *Bipalium*) BFU40. P.7. *Diversibipalium trilineatum* (Stimpson, 1857). Add the following item.

Diversibipalium trilineatum: Kawakatsu & Sasaki, 2005: 17, table 1, footnote. Species inquirenda. Hakodate, Hokkaidō / Japan.

BFC25. P. 106. (Under *Bipalium*). BFU40. P.7. *Diversibipalium virgatum* (Stimpson, 1857). Add the following item.

Diversibipalium virgatum: Kawakatsu & Sasaki, 2005: 17, table 1, footnote. Species inquirenda. Okinawa Is., the SW Islands of Japan.

BFC25. P. 87. (Under *Bipalium fuscum* Stimpson, 1857, in part.) BFC37. P.94. *Novibipalium falsifuscum* Kawakatsu, Ogren & Froehlich, 1998. Add the following item.

Novibipalium falsifuscum: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.

BFC25. P. 106. (Under *Bipalium*) BFC37. P.94. *Novibipalium venosum* (Kaburaki, 1922). Add the following item.

Novibipalium venosum: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.

UNDESCRIBED BIPALIID SPECIES (1987: BFC25, pp. 107-109; 1992: BFC30, pp. 73-75; 1993: BFC31, p. 81; 1994: BFC32, pp. 75-76; 1995: BFC33, pp. 80-81; 1996: BFC34, pp. 88-89; 1997: BFC35, p. 56; 1999: BFC37, p. 97; 2000: BFC38, pp. 84-85; 2001: BFC39, p. 113; 2002: BFU40, p.166; 2003: BFU41, p.109; 2004: BFU42, p. 89.)

Diversibipalium sp. of Matsuyama. Miyoshi, 1955.

Bipalium Stimpson sp.: Winsor, Johns & Barker, 2004: 248, 251. Shikoku / Japan. See the Section in the present Index: Comments on the Chapter 'Terrestrial Planarians' in the book 'Natural Enemies of the Terrestrial Molluscs' (2004).

BFC38. P. 84. (Under *Bipalium*). *Diversibipalium* sp. Nagasaki-1. Kawakatsu, Yamamoto, Ogren & Takai, 2000. Add the following item.

Diversibipalium sp. Nagasaki-1: Yamamoto, 2004: 17-20, figs 1-3 (distribution map, DB, chromosomes and idiograms). Kyūshū / Japan.

Diversibipalium sp. used in Shirasawa, Yoshihama, Seo & Yoshida's experiments, 2004.

Bipalium sp.: Shirasawa, Yoshihama, Seo & Yoshida, 2004: 1278. Tōkyō? / Japan.

B. RHYNCHODEMIDAE INDEX, PART I: RHYNCHODEMINAE (1988: Bull Fuji Women's College, No. 26, Ser. II pp. 39-91; 1992: *Ibid.*, No. 30, Ser. II, pp. 75-78; 1993: *Ibid.*, No. 31, Ser. II, p. 81; 1994: *Ibid.*, No. 32, Ser. II, p. 76; 1995: *Ibid.*, No. 33, Ser. II, p. 81; 1996: *Ibid.*, No. 34, Ser. II, p. 89; 1997: *Ibid.*, No. 35, Ser. II, pp. 56-57; 1998: *Ibid.*, No. 36, Ser. II, p. 76; 1999: *Ibid.*, No. 37, Ser. II, pp. 101-103; 2000: *Ibid.*, No. 38, Ser. II, pp. 85-86; 2001: *Ibid.*, No. 39, Ser. II, pp. 113-114; 2002: Bull. Fuji Women's Univ., No. 40, Ser. II, p. 166; 2003: *Ibid.*, No. 41, Ser. II, pp. 97-106, 109-110; 2004: *Ibid.*, No. 42, Ser. II, pp. 89-90).

BFC26. P. 71. (Under *Rhynchodemus*) BFU41. P.102. *Anisorhynchodemus hallezi* (von Graff, 1899). Add the following item.

Rhynchodemus hallezi: Winsor, Johns & Barker, 2004: 243.

BFC26. Pp. 54-55. *Dolichoplana carvalhoi* Corrêa, 1947. Add the following item.

Dolichoplana carvalhoi: Winsor, Johns & Barker, 2004: 236, 242.

BFC26. P. 55. *Dolichoplana conradti* von Graff, 1899. Add the following item.

Dolichoplana conradti: Jones, 2004. Togo.

BFC26. Pp. 57-58. BFC26 Pp. 55-56. (Under *Dolichoplana feildenii* von Graff, 1896.) BFU41. P. 98. Synonymised species. *Dolichoplana striata* Moseley, 1877. Add the following items.

Dolichoplana striata: Winsor, Johns & Barker, 2004: 232, 243, 258.

- Dolichoplana feildeni*: Winsor, Johns & Barker, 2004: 232, 235-236, 242-243, 258.
- Dolichoplana striata*: Jones, 2005: 192. U.K. and Ireland.
- Dolichoplana striata*: Jones & Sterrer, 2005: 31, 48, 51-52, table 2, 56-57, color pl. fig. 6 (DB). For localities see Table 2. Bermuda.
- BFC26. Pp. 64-65. *Platydemus manokwari* de Beau-champ, 1962. Add the following items.
- [*Platydemus manokwari*]: The Asahi, Nov. 13, Evening Ed. Chichi-jima Is., Ogasawara Islands / Japan.
- Platydemus manokwari*: [Tanaka], 2004: 19, figs (DB in color, distribution map of Chichi-jima Is., Ogasawara Islands / Japan).
- Platydemus manokwari*: Winsor, Johns & Barker, 2004: 232, 239, 243, 248, 251, 261-262, pl. 16 (nec 15; DB).
- Platydemus manokwari*: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.
- Platydemus manokwari*: Okochi, 2004: 105-106, figs 1, 3 (DB in color). Chichi-jima Is., Oga-sawara Islands / Japan.
- BFC26. P. 65. *Platydemus montanus* Mell, 1904. Add the following item.
- Platydemus montanus*: Jones, 2004: 36. Ethio-pia.
- BFC26. P. 71. (Under *Rhynchodemus hectori marfa* Marcus, 1953.) BFU41. Pp. 97-98, 101. *Rhynchodemus marfa* Marcus, 1953. Add the following item.
- Rhynchodemus hectori* var. *marfa*: Jones, 2004: 36. Congo.
- BFC26. P. 72. *Rhynchodemus ijimai* Kaburaki, 1922. Add the following item.
- Rhynchodemus ijimai*: Kawakatsu & Sasaki, 2005: 17, table 1. Japan.
- BFC26. Pp. 78-81. *Rhynchodemus sylvaticus* (Leidy, 1851). Add the following items.
- Rhynchodemus sylvaticus*: Fiore, Tull, Zehner & Ducey, 2004: 328.
- Rhynchodemus sylvaticus*: Winsor, Johns & Barker, 2004: 238, 243, 248, 256.
- Rhynchodemus sylvaticus*: Jones, 2005: 189, 192, fig. (DB in color). U.K. and Ireland.
- Rhynchodemus sylvaticus*: Jones & Sterrer, 2005: 31, 48, 53, table 2, 56-57, color pl. fig. 7 (DB). Bermuda.
- UNDESCRIBED RHYNCHODEMIDAE (Rhynchodeminae) SPECIES (1998: BFC26, pp. 82-84; 1992: BFC30, p. 78; 1994: BFC32, p. 76; 1997: BFC35, p. 57; 2000: BFC38, p. 86; 2002: BFU40, pp. 166-167; 2004: BFU42, p. 90).
- Anisorhynchodemus* sp. of Bermuda. Jones & Sterrer, 2005.
- Anisorhynchodemus* sp.: Jones & Sterrer, 2005: 47, 53, table 2. Point Shares / Bermuda.
- BFC26. P. 83. (Under Microplaninae sp. 978 of Cape Prov.) Rhynchodemid sp. of uncertain genus in Marcus (1955). Species 978 (Marcus, 1955a): Jones, 2004: 38. S. Africa.
- BFC26. P. 83. (Under Microplaninae sp. 984 of Cape Prov.) Rhynchodemid sp. of uncertain genus in Marcus (1955). Species 984 (Marcus, 1955a): Jones, 2004: 38. S. Africa.
- BFC26. P. 83. (Under Microplaninae sp. 991 of Natal.) Rhynchodemid sp. of uncertain genus in Marcus (1955). Species 991 (Marcus, 1955a): Jones, 2004: 38. S. Africa.
- BFC26. P. 83. (Under Microplaninae sp. 999 of Cape Prov.) Rhynchodemid sp. of uncertain genus in Marcus (1955). Species 999 (Marcus, 1955a): Jones, 2004: 38. S. Africa.
- BFC26. P. 83. (Under Microplaninae sp. 1001 of Cape Prov.) Rhynchodemid sp. of uncertain genus in Marcus (1955). Species 1001 (Marcus, 1955a): Jones, 2004: 38. S. Africa.
- C. RHYNCHODEMIDAE INDEX, PART II : MICROPLANINAЕ (1989: Bull Fuji Women's College, No. 27, Ser. II, pp. 53-111; 1992: *Ibid.*, No. 30, Ser. II, pp. 78-80; 1993: *Ibid.*, No. 31, Ser. II, pp. 81-82; 1994: *Ibid.*, No. 32, Ser. II, pp. 76-77; 1995: *Ibid.*, No. 33, Ser. II, p. 81; 1996: *Ibid.*, No. 34, Ser. II, p. 89; 1997: *Ibid.*, No. 35, Ser. II, p. 57; 1998: *Ibid.*, No. 36, Ser. II, pp. 76-77; 2000: *Ibid.*, No. 38, Ser. II, pp. 86-89; 2001: *Ibid.*, No. 39, Ser. II, p. 111; 2002: Bull. Fuji Women's Univ., No. 40, Ser. II, p. 167; 2003: *Ibid.*, No. 41, Ser. II, pp. 97-106, 110; 2004: *Ibid.*, No. 42, Ser. II, p. 90.)

BFC27. P. 54. *Amblyplana capensis* von Graff, 1899.

Add the following item.

Amblyplana capensis: Jones, 2004: 36. S. Africa.

BFC27. P. 54. *Amblyplana ehrenbergi* von Graff, 1899.

Add the following item.

Amblyplana ehrenbergi: Jones, 2004: 36. Cameroon.

BFC27. Pp. 54-55. *Amblyplana knysnensis* von Graff, 1899. Add the following item.

Amblyplana knysnensis: Jones, 2004: 36. S. Africa.

BFC27. P. 56. *Amblyplana zenkeri* von Graff, 1899.

Add the following item.

Amblyplana zenkeri: Jones, 2004: 36. Cameroon.

BFC27. P. 57. *Diporodemus indigenus* Hyman, 1943.

Add the following item.

Diporodemus indigenus: Winsor, Johns & Barker, 2004: 243.

BFC27. P. 60. *Microplana aberana* (Mell, 1904). Add the following item.

Microplana aberana: Jones, 2004: 36. Ethiopia.

BFC27. P. 63. *Microplana cherangani* (de Beauchamp, 1936). Add the following item.

Microplana cherangani: Jones, 2004: 36. Ethiopia; Kenya.

BFC27. P. 65. *Microplana harea* Marcus, 1953. Add the following item.

Microplana harea: Jones, 2004: 36. Congo.

BFC27. P. 66. *Microplana humicola* Vejdovský, 1890.

Add the following item.

Microplana humicola: Jones, 2005: 192. U.K. and Ireland.

BFC27. Pp. 67-68. *Microplana natalensis* (Jameson, 1907). Add the following item.

Microplana natalensis: Jones, 2004: 36. S. Africa.

BFC27. P. 68. *Microplana newmanni* (Mell, 1904). Add the following item.

Microplana newmanni: Jones, 2004: 37. Ethiopia.

BFC27. Pp. 68-69. *Microplana purpurea* (Bendl, 1908).

Add the following item.

Microplana purpurea: Jones, 2004: 37. Ethiopia.

BFC27. P. 70. *Microplana rufoccephalata* Hyman, 1954.

Add the following item.

Microplana rufoccephalata: Winsor, Johns & Barker, 2004: 243.

BFC27. Pp. 70-72. *Microplana scharffi* (von Graff, 1896).

Add the following item.

Microplana scharffi: Winsor, Johns & Barker, 2004: 243, 248.

Microplana scharffi: Jones, 2005: 191-192, figs (DB in color, distribution map). U.K. and Ireland.

BFC30. Pp. 79-80. *Microplana termitophaga* Jones, Darlington & Newson, 1990. Add the following items.

Microplana termitophaga: Jones, 2004: 35, 37. Kenya; Zimbabwe; Zambia.

Microplana termitophaga: Winsor, Johns & Barker, 2004: 253, 258.

Microplana termitophaga: Jones & Cumming, 2005: 106.

BFC27. Pp. 72-77. *Microplana terrestris* (Müller, 1774).

Add the following items.

Microplana terrestris: Winsor, Johns & Barker, 2004: 233, 243, 248, 251, 253-254, 258.

Microplana terrestris: Jones, 2005: 191-192, fig. (DB in color, distribution map). U.K. and Ireland.

Microplana terrestris: Carbayo, 2005: 135.

BFC27. Pp. 78-79. *Microplana viridis* (Jameson, 1907).

Add the following item.

Microplana viridis: Jones, 2004: 35, 37. S. Africa.

BFC27. P. 80. *Othelosoma africanum* (von Graff, 1899).

Add the following item.

Othelosoma africanum: Jones, 2004: 37. S. Africa.

BFC27. P. 80. *Othelosoma angolense* (de Beauchamp, 1951). Add the following item.

Othelosoma angolense: Jones, 2004: 37-38. Angola.

BFC27. P. 80. *Othelosoma caffrum* (Jameson, 1907).

Add the following item.

Othelosoma caffra: Jones, 2004: 37. S. Africa.

Note. The generic name *Othelosoma* is neuter; the specific name *caffrum* is correct.

BFC27. P. 80. *Othelosoma chinum* Marcus, 1955. Add the following item.

- Othelosoma chinum*: Jones, 2004: 35, 37. S. Africa.
- BFC27. Pp. 80-81. *Othelosoma conyum* Marcus, 1953.
Add the following item.
Othelosoma conyum: Jones, 2004: 37. S. Africa.
- BFC27. P. 81. *Othelosoma cylindricum* (de Beauchamp, 1913). Add the following item.
Othelosoma cylindricum: Jones, 2004: 37. Kenya.
- BFC27. P. 81. *Othelosoma evelinae* Marcus, 1970.
Add the following item.
Othelosoma evelinae: Jones, 2004: 35, 37. S. Africa.
- BFC27. P. 81. *Othelosoma flavescens* (Jameson, 1907).
Add the following item.
Othelosoma flavescens: Jones, 2004: 37. S. Africa.
- BFC27. Pp. 81-82. *Othelosoma flavum* (Moseley, 1877).
Add the following item.
Othelosoma flavum: Jones, 2004: 37. S. Africa.
- BFC27. P. 82. *Othelosoma fuscum* (Moseley, 1877).
Add the following item.
Othelosoma fuscum: Jones, 2004: 37. S. Africa.
- BFC27. P. 82. *Othelosoma gnaum* Marcus, 1955. Add the following item.
Othelosoma gnaum: Jones, 2004: 37. S. Africa.
- BFC27. P. 82. *Othelosoma hepaticarum* (Jameson, 1907). Add the following item.
Othelosoma hepaticarum: Jones, 2004: 37. S. Africa.
- BFC27. P. 83. *Othelosoma hundtum* Marcus, 1955. Add the following item.
Othelosoma hundtum: Jones, 2004: 37. S. Africa.
- BFC27. P. 83. Insert a new species and new list after *Othelosoma hundtum* Marcus, 1955. *Othelosoma joburgi* Jones, 2004.
Othelosoma joburgi n. sp. Jones, 2004: 31-35, 37, figs 1-3 (VB, HI, FCA, FGO). Roodepoort / S. Africa.
- BFC27. P. 83. *Othelosoma macrothylax* (de Beauchamp, 1936). Add the following item.
Othelosoma macrothylax (de Beauchamp, 1936): Jones, 2004: 37-38. Ethiopia.
- BFC27. P. 83. *Othelosoma marcusii* de Beauchamp, 1956. Add the following item.
Othelosoma marcusii: Jones, 2004: 35, 38. Ruanda.
- BFC27. P. 83. *Othelosoma marlieri* de Beauchamp, 1956. Add the following item.
Othelosoma marlieri: Jones, 2004: 38. Congo.
- BFC27. Pp. 83-84. *Othelosoma nigrescens* (Mell, 1904). Add the following item.
Othelosoma nigrescens: Jones, 2004: 38. Ethiopia.
- BFC27. P. 84. *Othelosoma notabile* (von Graff, 1899). Add the following item.
Othelosoma notabile: Jones, 2004: 35, 38. Cameroon.
- BFC27. P. 84. Insert a new species and new list after *Othelosoma notabile* (von Graff, 1899). *Othelosoma nyanga* Jones & Cumming, 2005.
Othelosoma nyanga n. sp. Jones & Cumming, 2005: 99-106, figs 1-7 (DB, DVB, HI, FTS, FCA, PCA). Mare Dam, Rhodes-Nyanga Nat. Park / Zimbabwe.
- BFC27. P. 84. *Othelosoma polecatum* Marcus, 1953. Add the following item.
Othelosoma polecatum: Jones, 2004: 38. Congo.
- BFC27. P. 84. *Othelosoma pugum* Marcus, 1953. Add the following item.
Othelosoma pugum: Jones, 2004: 38. Congo.
- BFC27. P. 85. *Othelosoma rudebecki* Marcus, 1955. Add the following item.
Othelosoma rudebecki: Jones, 2004: 38. S. Africa.
- BFC27. P. 85. *Othelosoma saegeri* Marcus, 1955. Add the following item.
Othelosoma saegeri: Jones, 2004: 38. Congo.
- BFC27. Pp. 85-86. *Othelosoma speciosum* (von Graff, 1896). Add the following item.
Othelosoma speciosum: Jones, 2004: 38. S. Africa.
- BFC27. P. 86. *Othelosoma symondsi* Gray, 1869. Add the following item.
Othelosoma symondsi: Jones, 2004: 38. Gabon.
- BFC27. P. 86. *Othelosoma voleum* Marcus, 1953. Add the following item.
Othelosoma voleum: Jones, 2004: 38. Tanzania.

BFC27. P. 86. *Othelosoma wauzen* Marcus, 1955. Add the following item.

Othelosoma wauzen : Jones, 2004: 38. S. Africa.

BFC27. P. 76. (Under *Microplana*) BFU41. P.106. *Statomicroplana ruteocephala* (Kaburaki, 1922). Add the following item.

Microplana ruteocephala : Kawakatsu & Sasaki, 2005: 17, table 1. Japan.

BFC27. P. 77. (Under *Microplana*) BFU41. P. 106. *Statomicroplana tetracladia* (Wilczyński, 1923).

Microplana tetracladia : Jones, 2004: 37. Tanzania.

UNDESCRIBED RHYNCHODEMIDAE (Microplaninae) SPECIES (1988: BFC26, pp. 82-84; 1997: BFC35, p. 57; 2000: BFC38, p. 89; 2001: BFC39, p. 114.)

None reported during the past year.

D. GEOPLANIDAE INDEX, PART I: GEOPLANINAE (1990: Bull. Fuji Women's College, No. 28, Ser. II, pp. 79-166; 1992: *Ibid.*, No. 30, Ser. II, pp. 80-89; 1993: *Ibid.*, No. 31, Ser. II, p. 82; 1994: *Ibid.*, No. 32, Ser. II, p. 77; 1995: *Ibid.*, No. 33, Ser. II, pp. 81-82; 1998: *Ibid.*, No. 36, Ser. II, pp. 77-78; 2000: *Ibid.*, No. 38, Ser. II, pp. 89-91; 2001: *Ibid.*, No. 39, Ser. II, pp. 114-117; 2002: Bull. Fuji Women's Univ., No. 40, Ser. II, pp. 167-168; 2003: *Ibid.*, No. 41, Ser. II, pp. 110-111; 2004: *Ibid.*, No. 42, Ser. II, pp. 90-93.)

BFC28. Pp. 93-94. *Amaga contamanensis* (Hyman, 1955). Add the following item.

Amaga contamensis : Jones & Sterrer, 2005: 37. Specific name is spelling error; *contamanensis* is correct.

BFC28. P. 94. Insert a new species and list after *Amaga contamanensis* (Hyman, 1955). *Amaga expatria* Jones & Sterrer, 2005.

Amaga expatria n. sp. Jones & Sterrer, 2005: 31-38, figs 1-8 (DB, AE, HI, FCA, PCA), 43, 51, table 2, 56-57, color pl. figs 1-2 (DB), 58. Bermuda Botanical Garden, Paget / Bermuda.

BFU42. P. 91. *Cephaloflexa araucariana* Carbayo & Leal-Zanchet, 2003. Add the following item.

Cephaloflexa araucariana : Carbayo, 2005: 136.

BFC28. Pp. 95-96. *Choeradoplana iheringi* von Graff, 1899. Add the following item.

Choeradoplana iheringi : Carbayo, 2005: 132, fig. 1 (DB).

BFC28. Pp. 97-98. *Geobia subterranea* (Schulze & Müller, 1857). Add the following item.

Geobia subterranea : Winsor, Johns & Barker, 2004: 235.

BFC29. P. 98. *Geoplana (Geoplana) arkalabamensis* Ogren & Darlington, 1991. Add the following item.

Geoplana arkalabamensis : Winsor, Johns & Barker, 2004: 244.

BFC28. P. 116. *Geoplana (Geoplana) burmeisteri* Schultz & Müller, 1857. Add the following item.

Geoplana burmeisteri : Winsor, Johns & Barker, 2004: 238-239.

BFC28. P. 117. *Geoplana (Geoplana) carinata* Riester, 1938. Add the following item.

Geoplana carinata : Winsor, Johns & Barker, 2004: 249.

BFC28. P. 118. *Geoplana (Geoplana) chiuna* E. M. Froehlich, 1955. Add the following item.

Geoplana chiuna : Winsor, Johns & Barker, 2004: 249.

BFU40. P. 173. *Geoplana (Geoplana) josefi* Carbayo & Leal-Zanchet, 2001. Add the following item.

Geoplana josefi : Carbayo, 2005: 136, fig. 3 (DVB).

BFC28. P. 123. *Geoplana (Geoplana) ladislavii* von Graff, 1899. Add the following item.

Geoplana (Geoplana) ladislavii : Jones & Sterrer, 2005: 37.

BFC28. P. 124. *Geoplana (Geoplana) livia* E. M. Froehlich, 1955. Add the following item.

Geoplana livia : Winsor, Johns & Barker, 2004: 235.

BFC28. P. 127. *Geoplana (Geoplana) multicolor* von Graff, 1899. Add the following item.

Geoplana multicolour : Winsor, Johns & Barker, 2004: 249. Specific name is spelling error; *multicolor* is correct.

BFC28. P. 129. *Geoplana (Geoplana) pavani* Marcus, 1951. Add the following item.

Geoplana pavani : Winsor, Johns & Barker, 2004: 249.

BFC28. P. 145. (Under *Notogynaphallia tuxaua* (E. M. Froehlich, 1955). *Geoplana (Geoplana) tuxaua* E. M. Froehlich, 1955. Add the following item.

Notogynaphallia tuxaua : Carbayo, 2005: 140, fig. 6e (FCA).

Note. The species was reverted to the genus *Geoplana* by Leal-Zanchet & Carbayo (2001).

See BFC39, p.116. <http://planarian.net/db/lpindex/ix2001.pdf>

BFC28. P. 134. *Geoplana (Geoplana) vaginuloides* (Darwin, 1844). Add the following items.

Geoplana vaginuloides : Winsor, Johns & Barker, 2004: 235, 249.

Geoplana vaginuloides : Carbayo, 2005: 136.

BFC28. P. 135. *Gigantea chiriquii* (Hyman, 1962). Add the following item.

Gigantea chiriquii : Jones & Sterrer, 2005: 42.

BFC28. P. 136. Insert a new species and list after *Gigantea gigantea* (von Graff, 1899). *Gigantea gouvernoni* Jones & Sterrer, 2005.

Gigantea gouvernoni n. sp. Jones & Sterrer, 2005: 31, 38-43, figs 9-19 (DB, AE, HI, FP, FCA, PCA), 51, table 2, 56-57, color pl. fig. 3 (DB), 58. Grounds of Government House, Pembroke. For other localities, see table 2. Bermuda.

BFC28. P. 138. *Issoca rezendei* (Schirch, 1929). Add the following item.

Issoca rezendei : Winsor, Johns & Barker, 2004: 235.

BFC28. P. 142. *Notogynaphallia goetschi* (Riester, 1938). Add the following item.

Notogynaphallia goetschi : Winsor, Johns & Barker, 2004: 235.

BFC28. P. 142. *Notogynaphallia meixneri* (Riester, 1938). Add the following item.

Notogynaphallia meixneri : Winsor, Johns & Barker, 2004: 249.

BFC28. P. 147. *Pasipha pasipha* (Marcus, 1951). Add the following item.

Pasipha pasipha : Winsor, Johns & Barker, 2004: 252.

BFC28. P. 148. *Pasipha rosea* (E. M. Froehlich, 1955). Add the following item.

Pasipha rosea : Winsor, Johns & Barker, 2004:

BFC28. Pp. 151-152. *Polycladus gayi* Blanchard, 1845. Add the following item.

Polycladus gayi : Winsor, Johns & Barker, 2004: 241.

UNDESCRIBED GEOPLANIDAE (Geoplaninae) SPECIES (1990: BFC28, pp. 162-165; 1994: BFC32, p. 77; 2000: BFC38, p. 91; 2002: BFU40, p. 168).

None reported during the past year.

E. GEOPLANIDAE INDEX, PART II: CAENOPLANINAE AND PELMATOPLANINAE (1991: Bull. Fuji Women's College, No. 29, Ser. II, pp. 25-102; 1992: *Ibid.*, No. 30, Ser. II, p. 89; 1993: *Ibid.*, No. 31, Ser. II, pp. 82-83; 1994: *Ibid.*, No. 32, Ser. II, pp. 77-82; 1995: *Ibid.*, No. 33, Ser. II, pp. 81-82; 1996: *Ibid.*, No. 34, Ser. II, p. 90; 1997: *Ibid.*, No. 35, Ser. II, pp. 58-59; 1999: *Ibid.*, No. 37, Ser. II, pp. 94-97; 2000: *Ibid.*, No. 38, Ser. II, pp. 91-94; 2001: *Ibid.*, No. 39, Ser. II, pp. 117-118; 2002: Bull. Fuji Women's Univ., No. 40, Ser. II, pp. 168-170; 2003: *Ibid.*, No. 41, Ser. II, p. 112; 2004: *Ibid.*, No. 42, Ser. II, p. 93.)

BFC37. Pp. 94-95. *Arthurdendyus albidus* Jones & Gerard, 1999. Add the following items.

Arthurdendyus albidus : Winsor, Johns & Barker, 2004: 244.

Arthurdendyus albidus : Jones, 2005: 192, fig. (DB in color). U.K. and Ireland.

BFC29. Pp. 36-37. (Under *Artioposthia*) BFC37. P. 95. *Arthurdendyus australis* (Dendy, 1894). Add the following item.

Arthurdendyus australis : Winsor, Johns & Barker, 2004: 258.

BFC29. P. 41. (Under *Artioposthia*) BFC37. Pp. 94-96. *Arthurdendyus triangulatus* (Dendy, 1895). Add the following items.

Artioposthia triangulata : Ducey & Noce, 1998: 199, 204-205.

Artioposthia triangulata : Ducey, Nessere, La-point & Noce, 1999: 311.

Arthurdendyus triangulatus : Fiore, Tull, Zehner & Ducey, 2004: 328.

Arthurdendyus triangulatus : Jones, Davenport & Boag, 2004: 751-754, figs 1-5 (graphs and histological photomicrographs). Dunoon, Scotland / U.K.

Arthuridendyus triangulatus: Winsor, Johns & Barker, 2004: 234, 238-239, 241, 244, 253, 258, 263.

Arthuridendyus triangulatus: Jones, 2005: 189-193, figs (DB in color, distribution map). U.K. and Ireland (origin: New Zealand).

Arthuridendyus triangulatus: Jones & Sterrer, 2005: 38-39.

BFC29. P. 38. *Artioposthia diemenensis* (Dendy, 1894). Add the following item.

Artioposthia diemenensis: Winsor, Johns & Barker, 2004: 240.

BFC29. P. 46. (Under *Australopacifica*) *Artioposthia graminicola* (Steel, 1900). Add the following item.

Artioposthia graminicola: Winsor, Johns & Barker, 2004: 249.

Note. Specific name is spelling error; *graminicola* is correct.

BFC29. P. 39. *Artioposthia japonica* Kaburaki, 1922. Add the following item.

Artioposthia japonica: Kawakatsu & Sasaki, 2005: 17, table 1.

BFC29. P. 43. *Australopacifica bimaculata* (Stimpson, 1857). Add the following item.

Australopacifica bimaculata: Kawakatsu & Sasaki, 2005: 17, table 1, footnote. Species inquirenda. Nikkō, Kantō Region, Honshū / Japan.

BFC29. P. 43. *Australopacifica buettneri* (von Graff, 1899). Add the following item.

Pelmatoplana buettneri: Jones, 2004: 38-39. Togo.

Australopacifica buettneri: Winsor, Johns & Barker, 2004: 244.

Note. The genital anatomy of this species is not known. Jones (2004: 39) wrote: "Ogren & Kawakatsu (1991) placed this species in their collective genus *Australopacifica*. It is the only geoplanid described from Africa. Since it is well outside the range of other geoplanids, it must have been introduced. It does not appear to have been recorded since the original specimens were found".

BFC29. P. 44. *Australopacifica coxii* (Fletcher & Hamilton, 1888). Add the following item.

Australopacifica coxii: Jones, 2005: 193, fig. (DB in color). U.K. and Ireland.

BFC29. P. 49. *Australopacifica lapidicola* (Stimpson, 1857). Add the following item.

Australopacifica lapidicola: Kawakatsu & Sasaki, 2005: 17, table 1, footnote. Species inquirenda. Okinawa Is., the SW Islands of Japan.

BFC29. P. 52. *Australopacifica mortoni* (Dendy, 1894). Add the following item.

Artioposthia mortoni: Winsor, Johns & Barker, 2004: 240.

BFC29. P. 53. *Australopacifica purpurea* (Dendy, 1895). Add the following item.

Australopacifica purpurea: Winsor, Johns & Barker, 2004: 244.

BFC29. P. 57. *Australopacifica sulphurea* (Fletcher & Hamilton, 1888). Add the following item.

Caenoplana sulphurea: Winsor, Johns & Barker, 2004: 244.

Note. The genital anatomy of this species is not known.

BFC29. Pp. 54-55. *Australoplana sanguinea* (Moseley, 1877). Add the following item.

Australoplana sanguinea: Winsor, Johns & Barker, 2004: 244.

Australoplana sanguinea: Jones, 2005: 191, figs (DB in color, distribution map). U.K. and Ireland.

BFC31. Pp. 73-74. *Australoplana sanguinea alba* (Dendy, 1891). See BFC29, pp. 54-55. *Australopacifica sanguinea* (Moseley, 1877); BFC29, pp. 61-62. *Caenoplana alba* (Dendy, 1891); BFC36, p. 78. Add the following items.

Australoplana sanguinea alba: Fiore, Tull, Zehner & Ducey, 2004: 328.

Note. Specific name is spelling error; *sanguinea* is correct.

Australoplana sanguinea var. *alba*: Winsor, Johns & Barker, 2004: 239, 256-257, pl. 15 (nec 16; DB).

BFC29. Pp. 62-63. *Caenoplana coerulea* Moseley, 1877. Add the following item.

Caenoplana coerulea: Winsor, Johns & Barker, 2004: 239, 244, 256-257, pl. 15 (nec 16; DB).

BFC29. P. 69. *Endeavouria septemlineata* (Hyman, 1939). Add the following item.

Endeavouria septemlineata: Winsor, Johns & Barker, 2004: 236, 251, 253, 255, 257,

- 260-262.
- BFC29. Pp. 53-54. (Under *Australopacifica*) *Fletchamia quinque-lineata* (Fletcher & Hamilton, 1888). Add the following item.
Fletchamia quinque-lineata: Winsor, Johns & Barker, 2004: 245.
- BFC29. P. 79. *Kontikia andersoni* Jones, 1981. Add the following items.
Kontikia andersoni: Winsor, Johns & Barker, 2004: 245.
Kontikia andersoni: Jones, 2005: 194, fig. (DB in color). U.K. and Ireland (origin: Australia or New Zealand).
- BFC29. Pp. 79-80. *Kontikia bulbosa* Sluys, 1983. Add the following item.
Kontikia bulbosa: Winsor, Johns & Barker, 2004: 245.
- BFC29. Pp. 80-81. *Kontikia forsterorum* (Schröder, 1924). Add the following item.
Kontikia forsterorum: Winsor, Johns & Barker, 2004: 249, 258.
- BFC29. P. 83. *Kontikia orana* Froehlich, 1955. Add the following items.
Kontikia orana: Jones, 2004: 39. Uganda.
Kontikia orana: Winsor, Johns & Barker, 2004: 245.
- BFC29. Pp. 65-67. (Under *Caenoplana*) BFC31. P. 76. *Lenkunya munda* (Fletcher & Hamilton, 1888). Add the following item.
Lenkunya munda: Winsor, Johns & Barker, 2004: 238.
- BFC29. Pp. 85-86. *Newzealandia graffi* (Dendy, 1895). Add the following item.
Newzealandia nr. graffi occidentalis: Winsor, Johns & Barker, 2004: 249.
- BFC29. P. 42. (Under *Australopacifica*) *Parakontikia atrata* (Steel, 1897). Add the following item.
Parakontikia atrata: Winsor, Johns & Barker, 2004: 246, 249, 258.
- BFC29. P. 44. (Under *Australopacifica*) BFC31. P. 76. *Parakontikia coxii* (Fletcher & Hamilton, 1888). Add the following item.
Parakontikia coxii: Winsor, Johns & Barker, 2004: 246, 258.
- BFC29. P. 84. (Under *Kontikia*) BFC31. Pp. 76-77. *Parakontikia ventrolineata* (Dendy 1892). Add the following items.
Kontikia ventrolineata: Jones, 2004: 31, 39. S. Africa.
Parakontikia ventrolineata: Winsor, Johns & Barker, 2004: 246, 249, 251, 255, 257.
Kontikia ventrolineata: Jones, 2005: 194, fig. (DB in color). U.K. and Ireland (origin: Australia).
- BFC29. Pp. 57-58. (Under *Australopacifica*) BFC31. P. 77. *Tasmanoplana tasmaniana* (Darwin, 1844). Add the following item.
Tasmanoplana tasmaniana: Winsor, Johns & Barker, 2004: 240.
- UNDESCRIBED GEOPLANIDAE (Caenoplaninae) SPECIES (1991: BFC29, pp. 95-96; 1994: BFC32, p. 82; 1997: BFC35, p. 59; 1998: BFC36, p. 78; 2000: BFC38, pp. 94-95; 2002: BFU40, p. 170; 2004: BFU42, pp. 93-94.)
- BFC38. P. 95. *Australopacifica* sp. of Ogasawara. Kawakatsu, Okochi, Sato, Ohbayashi, Kitagawa & Totani, 1999. Add the following item.
Unidentified Geoplanidae species: Winsor, Johns & Barker, 2004: 249. Ogasawara Islands (Tôkyô) / Japan. See the Section in the present Index: Comments on the Chapter 'Terrestrial Planarians' in the Book 'Natural Enemies of the Terrestrial Molluscs' (2004).
- Australopacifica* sp. of Penzance, England. Jones, 2005.
Australopacifica sp.: Jones, 2005: 190, fig. (DB in color). U.K. (origin: Australia).
Note. This unidentified species was found in 2002 in a florist's shop in Penzance, on a tree fern imported from Victoria, Australia.
- Caenoplana* Moseley sp. in Winsor et al. 2004.
Caenoplana Moseley sp.: Winsor, Johns & Barker, 2004: 245. Australia. Origin: Unknown. Probably New Guinea or New Caledonia.
- Newzealandia* Ogren & Kawakatsu sp. in Winsor et al. 2004.
Newzealandia Ogren & Kawakatsu sp.: Winsor, Johns & Barker, 2004. Fiordland / New Zealand.
- Pelmatoplana* von Graff sp. in Winsor et al. 2004.

Pelmatopla von Graff sp.: Winsor, Johns & Barker, 2004: 246. Australia. Origin: Unknown.

REFERENCES

THE ASAHI (Asahi-Shinbun), 2004. [Endemic land snails of Chichi-jima Island, the Ogasawara Islands, are now attacked and ate by an alien land planarian *Platydemus manokwari*]. November 13, 2004 (Saturday), Evening Edition. (In Japanese.)

BEAUCHAMP, P. DE, 1962. *Platydemus manokwari* n. sp., planaire terrestre de la Nouvelle-Guinée Hollandaise. Bull. Soc. Zool. France, 87, (5-6): 609-615.

CARBAYO, F., 2005. Procedimentos de campo e laboratório para a caracterização das planárias terrestres Neotropicais (Platyhelminthes: Tricladida). Caderno La Salle, XI, Canoas, 2 (1): 131-144. Centro Universitário La Salle, Métodos de Estudo em Biologia. Canoas, 2005. Website URL www.unilasalle.edu.br.

DUCEY, P., MESSERE, M., LAPOINT, K. & NOCE, B., 1999. Lumbricid prey and potential herpet of annual predators of the invading terrestrial flatworm *Bipalium adventitium* (Turbellaria: Tricladida: Terricola). Amer. Midland Nat., 141: 305-314.

DUCEY, P. K. & NOCE, S., 1998. Successful invasion of New York State by the terrestrial flatworm, *Bipalium adventitium*. Northeast. Naturalist, 5 (3): 199-206.

FIORE, C., TULL, J. L., ZEHNER, S. & DUCEY, P. K., 2004. Tracking and predation on earthworms by the invasive terrestrial planarian *Bipalium adventitium* (Tricladida, Platyhelminthes). Behavioural Processes, 67: 327-334.

JONES, H. D., 2004. A new species of land planarian (Platyhelminthes: Tricladida: Terricola: Rhynchodemidae) from South Africa, with a list of African terrestrial planarian species. African Zool., 39 (1): 31-40.

JONES, H. D., 2005. Identification. British land flatworms. British Wildlife, 16 (3): 189-194.

JONES, H. D. & CUMMING, M. S., 2005. A new land planarian species of the genus *Othelosoma* (Platyhelminthes: Tricladida: Terricola: Rhynchodemidae) from the eastern highlands of Zimbabwe. African Zool., 40 (1): 99-106.

JONES, H. D., DAVENPORT, J. & BOAG, B., 2004. Tissue osmolarity of the New Zealand land flatworm (*Arthurdendyus triangulatus*). Comp. Biochem. Physiol., Part A, 137: 749-755.

JONES, H. D. & STERRER, W., 2005. Terrestrial planarians (Platyhelminthes, with three new species) and nemerteans of Bermuda. Zootaxa, 1001: 31-58 (+ color pl. on p. 57). Magnolia Press. Website URL www.mapress.com/zootaxa/

KAWAKATSU, M., 1968. A list of publications on Japanese turbellarians (1855-1967) ... Including titles of publications on foreign turbellarians written by the Japanese authors. Bull. Fuji Women's College, (6): 71-127.

KAWAKATSU, M., FROEHLICH, E. M., JONES, H. D., OGREN, R. E. & SASAKI, G.-Y., 2004. Additions and corrections of the previous land planarian indices of the world (Turbellaria, Seriata, Tricladida, Terricola). Additions and corrections of the previous land planarian indices of the world · 12. Bull. Fuji Women's Univ., (42), II: 88-96. <http://planarian.net/db/lpindex/ix2004.pdf>

KAWAKATSU, M., FROEHLICH, E. M., JONES, H. D., OGREN, R. E., TAKAI, M. & SASAKI, G.-Y., 2004. Miscellaneous papers on Turbellarians. Bull. Fuji Women's Univ., (42), II: 81-96. This publication consists of ARTICLE I (A List of Publication on Japanese Turbellarians (2003) etc.) and ARTICLE II (Additions and Corrections etc. · 12). For the latter, see KAWAKATSU, FROEHLICH, JONES, OGREN & SASAKI, 2004.

KAWAKATSU, M., OGREN, R. E., FROEHLICH, E. M. & SASAKI, G.-Y., 2001. Additions and corrections of the previous land planarian indices of the world (Turbellaria, Seriata, Tricladida, Terricola). Additions and corrections of the previous land planarian indices of the world · 9. Bull. Fuji Women's College, (39), II: 11-120. <http://planarian.net/db/lpindex/ix2001.pdf>

KAWAKATSU, M., OKOCHI, I., SATO, H., OHBAYASHI, T., KITAGAWA, K.-I. & TOTANI, K., 1999. A preliminary report on land planarians (Turbellaria, Seriata, Tricladida, Terricola) and land nemertine (Enopla, Hoplonemertea, Monostylifera) from the Ogasawara Islands. Occ. Publ., Biol. Lab. Fuji Women's College, Sapporo (Hokkaidô), Japan, (32): 1-8.

KAWAKATSU, M. & SASAKI, G.-Y., 2004. A blank

topographical map of Japan, with explanatory maps of the Izu-Ogasawara Islands and the Southwest Islands for the chorological study of planarians. Web article only. <http://planarian.net/kswp/43/jmap.pdf>

KAWAKATSU, M. & SASAKI, G.-Y., 2005. A giant Japanese bipaliid land planarian, *Bipalium nobile*, and its relational species. The Heredity (Iden), Tôkyô, 59 (4): 16-19. (In Japanese.) Kawakatsu's Note. A tentative list of Japanese land planarian species was given in Table 1 (on p. 17: 3 families, 3 subfamilies, 8 genera and 17 species). Eight species inquirendae were also listed.

KAWAKATSU, M., SLUYNS, R. & OGREN, R. E., 2005. Seven new species of land planarian from Japan and China (Platyhelminthes, Tricladida, Bipaliidae), with a morphological review of all Japanese bipaliids and a biogeographic overview of Far Eastern species. Belg. Jour. Zool., 135 (1): 51-72.

LEAL-ZANCHET, A. M. & CARBAYO, F., 2001. Two new species of Geoplanidae (Platyhelminthes, Tricladida, Terricola) of South Brazil. Jour. Zool., Lond., 253: 433-446.

MIYOSHI, Y., 1955. [Observations on the feeding habit of *Bipalium* sp.]. Collect. & Breed., Tôkyô, 17 (1): 377-378. (In Japanese.)

MOSELEY, H. N., 1878. Description of a new species of land planarian from the hothouses at Kew Gardens. Ann. Mag. Nat. Hist., (5), 1: 237-239.

OKOCHI, I., 2004. [Endemic species of land snails in Chichi-jima Island, the Ogasawara Islands, are caught and ate by an alien land planarian *Platydemus manokwari*]. In: [Explanatory Book for the Special Exhibition of the Ogasawara Islands and the Endemic Species: Their Diversity and the Crisis], pp. 105-106. Kanagawa Prefectural Museum of Natural History,

Odawara, Kanagawa Pref. (In Japanese.)

OKOCHI, I., SATO, H. & OHBAYASHI, T., 2004. The cause of mollusk decline on the Ogasawara Islands. Biodiversity and Conservation, 13: 1465-1475.

SEO, N., YOSHIHAMA, I., SHIRASAWA, Y., SASAKI, Y., YAMAGUCHI, K., OHASHI, R., NAITO, M., TAKAHASHI, K. & FURUTA, E., 2004. Immune response of the terrestrial planarian *Bipalium fuscatum* against non-self materials. Zool. Sci., Tôkyô, 21 (12): 1320.

SHIRASAWA, Y., YOSHIHAMA, I., SEO, N. & FURUTA, E., 2004. The mucous cells of the adhesive organ of the terrestrial planarian *Bipalium* sp. Zool. Sci., Tôkyô, 21 (12): 1278.

[TANAKA, S.], 2004. [*Platydemus manokwari*, an alien land planaria found in the Okinawa Islands and Chichi-jima Island in the Ogasawara Islands]. In: [Explanatory Book for the 2004 Special Exhibition of Alien Animals Found in Okinawa Prefecture (the Southwest Islands of Japan)]. P. 19, figs (DB in color and maps of Chichi-jima Island showing the diminution of the endemic land snails of the genus *Mandarina*). (In Japanese.)

WINSOR, L., JOHNS, P. M. & BARKER, G. M., 2004. Terrestrial planarians (Platyhelminthes: Tricladida: Terricola) predaceous on terrestrial gastropods. In: Barker, G. M. (ed.), Natural Enemies of Terrestrial Molluscs. Pp. 227-278 + pls. figs 15 and 16 (Chapt. 5 of the Book). CAB International.

YAMAMOTO, K. A bipaliid land planarian from Kaki-no-ura Island, Nagasaki Prefecture, Kyûshû, Japan. Bull. Junshin Junior Highschool & Junshin Women's Highschool, (31): 17-20. (In Japanese, with English summary.)

Addresses of the Authors :

Dr. Masaharu KAWAKATSU, 9jô 9chôme 1-8, Shinkotoni, Kita-ku, Sapporo (Hokkaidô) 001-0909, Japan.

Tel & Fax (International: +81 11 762 4450); (Domestic: 011 762 4450).

E-mail (Miss Miyuki Kawakatsu): DQA01524@nifty.ne.jp (The 4th character is "zero", not the letter O.)

Dr. Eudóxia Maria FROEHLICH, Professor of Zoology, Emeritus, Departamento de Zoologia, Instituto de Biociências, Universidade de São Paulo, Rua do Matão, Travessa 14, N°. 101, Butantã - São Paulo / SP - 05508-900, Brasil.
Tel: International: +55 11 3091-7513 / Fax (International: +55 11 3091-7802). E-mail: emfroeh@ib.usp.br
Home address: Al. J. E. de Lima, 1095/102, CEP 01403-003, São Paulo, SP-Brasil.
Website URL <http://www.ib.usp.br/pesquisa/froehlich.htm>

Dr. Hugh D. JONES, Honorary Lecturer, University of Manchester; Scientific Associate of the Natural History Museum, London. Home address: 4 Vine Cottages, off Hayfield Road, Birch Vale, High Peak, SK22 1DG, UK.
Phone: (International +44 1663 745438); (Domestic 01663 745438). Email: flatworm@btopenworld.com

Dr. Robert E. OGREN, Professor of Biology, Emeritus, Wilkes University, Wilkes-Barre, Pennsylvania 18766, U. S. A. Home address: 88 Lathrop Street, Kingston, Pennsylvania 18704, U. S. A.
E-mail: REOgren@compuserve.com
Website URL <http://course.wilkes.edu/REOgren>

Dr. Masayuki TAKAI, Professor of Biology, Emeritus, Saga Medical School.
Home address: Nishi 1 chôme, 14-5, Shin'ei, Saga 840-0859, Japan.
Tel & Fax (International: +81 952 29 5402); (Domestic: 0952 29 5402).
E-mail: takai.m12622s@sage.ocn.ne.jp

Mr. Gen-yu SASAKI, Biology teacher of Jôtô High School of Tôkyô. Home address: Roppongi 1-3-49, Minato-ku, Tôkyô 106-0032, Japan.
Tel. (International: +81 3 3585 1785); (Domestic: 03 3585 1785).
E-mail: gen-yu@mtc.biglobe.ne.jp

December 25, 2005.